116 SHAVER ROAD BRANTFORD, ON N3T 5M1, CANADA

PHONE: 1-877-536-6584 / 519-754-5432

FAX: 1-519-759-3830 WWW.JEMLINE.COM



## **SEMI AUTOMATIC QUESTIONNAIRE**

<u>DISTRIBUTOR</u>	<u>CUSTOMER</u>
Company	Company
Address	Address
Contact	Contact
Telephone	Telephone
Fax	Fax
F-mail:	F-mail:

116 SHAVER ROAD BRANTFORD, ON N3T 5M1, CANADA

PHONE: 1-877-536-6584 / 519-754-5432

FAX: 1-519-759-3830 WWW.JEMLINE.COM



### **PRODUCT**:

1)	What is the Product ?					
2)	How are the products loaded?					
3)	How many loads per hour?					
4)	How many loads per day?					
5)	) Load stability?		□ Unstable			
6)	6) Dimensions:					
		<u>Length</u>	<u>Width</u>	<u>Height</u>	<u>Weight</u>	% production
Maximum						
Minimum						
Тор	layer:	☐ full	☐ partial	□ uneven	Other:	
	cking tern:	Column	☐ Interlocked	Other:		
Load	colors	□ (Black)	☐ Reflective	Brown	Other:	

116 SHAVER ROAD BRANTFORD, ON N3T 5M1, CANADA

PHONE: 1-877-536-6584 / 519-754-5432

FAX: 1-519-759-3830 WWW.JEMLINE.COM



Stretch information	<u>on</u> :				
Requirements:					
Top wraps		Bottom v	vraps		
Film overlap		Film over	wrap (top of load)		
Film width:	□ 20"	□ 30′′	□20" & 30"		
	☐ Other				
	☐ Film gauş	ge			
Stretch ratio required: 200% STD, (from 50 to 300 available)					
Temperature of o	peration?				
Maxii	mum				
Temperature over 100 deg. F. requires upgrade option					
Minimum					
Temperature below 40 deg. F. requires upgrade option					
Avera	Average				

116 SHAVER ROAD BRANTFORD, ON N3T 5M1, CANADA

PHONE: 1-877-536-6584 / 519-754-5432

FAX: 1-519-759-3830 WWW.JEMLINE.COM



Stretch information (c	continued):					
Wash down area	[					
Corrosive environmen	t [					
Potential Explosion en	vironment [					
Available ceiling heigh	t (clearance)	(inc	hes)			
Note: Special attention should be given to the path from the receiving door to the machine destination to ensure space requirements.						
Operation requirer	<u>nents</u>					
Standard	□ 120v/1/60 15	5a				
Others:	volts	_ phase	Hz			

# Note:

# Dedicated line is required for power supply.

It is imperative that you provide a dedicated line to these products. If you do not supply a dedicated line, the product warranty may be voided.